

REFERENCES

Overview

- Alley, R.B., Meese, D.A., Shuman, C.A. Gow, A.J., Taylor, K.C., Grootes, P.M., White, J.W.C., Ram, M., Waddington, E.D., Mayewski, P.A., Zienlinski, G.A. 1993. Abrupt increase in Greenland snow accumulation at the end of the Younger Dryas. *Nature* 362, 527-529.
- Bjorck, S., Walker, M.J.C., Cwynar, L.C., Johnsen, S., Knudsen, K-L, Lowe, J.J., Wohlfarth, B., INTIMATE members. 1998. An event stratigraphy for the last termination in the North Atlantic region based on the Greenland ice-core record: a proposal by the INTIMATE group. *Journal of Quaternary Science* 13, 283-292.
- Hoek, W.Z., Bohncke, S.J.P. 2001. Oxygen isotope wiggle matching as a tool for synchronizing ice-core and ice-core records over Termination 1. *Quaternary Science Reviews* 20: 1251-1264.
- Houghton, J. *et al.*, Climate Change 2001. The Scientific Basis (Third Assessment report from IPCC Working group 1), 1-94, Cambridge University Press, UK.
- Johnsen, S.J., Dahl-Jensen, D., Gundestrup, N., Steffensen, J.P., Clausen, H.B., Miller, H., Masson-Delmotte, V., Sveinbjornsdottir, A.E, White, J. 2001. Oxygen isotope and paleotemperature records from six Greenland ice-core stations: Camp Century, Dye-3, GRIP, GISP2, Renland and NorthGRIP. *Journal of Quaternary Science* 16, 299-307.
- Litt, T., Brauer, A., Goslar, T., Merkt, J., Balaga, K., Muller, H., Ralska-Jasiewiczowa, M., Stebich, M., Negendank, J.F.K. 2001. Correlation and synchronization of the Last Termination continental sequences in northern central Europe based on annually-laminated lacustrine sediments. *Quaternary Science Reviews* 20, 1233-1249.
- Lowe, J.J., Walker, M.J.C. 2000. Radiocarbon dating of the last glacial-interglacial transition (ca. 14-9 ¹⁴C yr BP) in terrestrial and marine records: the need for new quality assurance protocols. *Radiocarbon* 42, 53-68.
- Lowe, J.J., Hoek, W.Z., INTIMATE group. 2001. Inter-regional correlation of paleoclimatic records for the Last Glacial-Interglacial Transition: a protocol for improved precision recommended by the INTIMATE project group. *Quaternary Science Reviews* 20, 1175-1187.
- Turney, C.S.M., Lowe, J.J., Davies, S.M., Hall, V.A., Lowe, D.J., Wastegård, S., Hoek, W.Z., Alloway, B.V. 2004. Tephrochronology of Last Termination sequences in Europe: a protocol for improved analytical precision and robust correlation procedures (a joint SCOTAV-INTIMATE proposal). *Journal of Quaternary Science* 19, 111-120.
- Walker, M.J.C., Bjorck, S., Lowe, J.J., Cwynar, L.C., Johnsen, S., Knudsen, K-L, Wohlfarth, B., INTIMATE members. 1999. Isotopic events in the GRIP ice-core: a stratotype for the late Pleistocene. *Quaternary Science Reviews* 18, 1143-1150.
- Wohlfarth, B. 1996. The chronology of the last termination: a review of radiocarbon-dated high resolution terrestrial stratigraphies. *Quaternary Science Reviews* 15, 267-284.

Land and ocean maps

- Barrell, D.J.A., Suggate, R.P., unpublished data, 2004. Map of maximum extent of LGM glaciers in New Zealand. Contact David Barrell, GNS, New Zealand.
- Carter, L., Garlick, R.D., Sutton, P., Chiswell, S., Oien, N.A., Stanton, B.R. 1998. Ocean Circulation New Zealand. *NIWA Chart Miscellaneous Series* 76.
- Carter, L. 2001. Currents of change. *Water & Atmosphere* 9, <http://www.niwa.co.nz/pubs/wa/09-4/>.

- Chinn, T.J.H. 1978. New Zealand Glacier Inventory 1978 – unpublished digital map. Contact David Barrell, GNS, New Zealand.
- Leathwick, J., McGlone, M., Walker, S., Briggs, C., unpublished data, 2004: Predicted potential natural vegetation of New Zealand. Contact Craig Briggs, Landcare Research, New Zealand.
- Newnham, R.M., Lowe, D.J., Williams, P.W. 1999. Quaternary environmental change in New Zealand: a review. *Progress in Physical Geography* 23: 567-610 (originally published as Plate 7, New Zealand Historical Atlas, 1997).

Timescale

- Bard, E., Rostek, F., Ménot-Combes, G. 2004. Radiocarbon calibration beyond 20,000 ¹⁴C yr B.P. by means of planktonic foraminifera of the Iberian Margin. *Quaternary Research* 61, 204-214.
- Bronk Ramsey, C. 2001. Development of the radiocarbon program OxCal. *Radiocarbon* 43, 355-363.
- Froggatt, P.C., Lowe, D.J. 1990. A review of late Quaternary silicic and some other tephra formations from New Zealand: their stratigraphy, nomenclature, distribution, volume, and age. *New Zealand Journal of Geology and Geophysics* 33, 89-109.
- Hajdas, I., Lowe, D.J., Newnham, R.M., Bonani, G., submitted. Timing of the late-glacial climate reversal in the Southern Hemisphere: a high-resolution radiocarbon chronology for Kaipo bog, New Zealand. *Quaternary Research*.
- Hogg, A.G., Higham, T.F.G., Lowe, D.J., Palmer, J.G., Reimer, P.J., Newnham, R.M. 2003. A wiggle match date for Polynesian settlement in New Zealand. *Antiquity* 77, 116-125.
- Lowe, D.J., Hogg, A.G. 1992. Application of new technology liquid scintillation spectrometry to radiocarbon dating of tephra deposits, New Zealand. *Quaternary International* 13-14, 135-142.
- Lowe, D.J., de Lange, W.P. 2000. Volcano-meteorological tsunamis, the c. AD 200 Taupo eruption (New Zealand) and the possibility of a global tsunami. *The Holocene* 10, 401-407.
- Lowe, D.J., Newnham, R.M., Ward, C.M. 1999. Stratigraphy and chronology of a 15 ka sequence of multi-sourced silicic tephras in a montane peat bog, eastern North Island, New Zealand. *New Zealand Journal of Geology and Geophysics* 42, 565-579.
- Manighetti, B., Palmer, A.S., Eden, D.N., Elliot, M. 2003. An occurrence of Tuhua Tephra in deep sea sediments from offshore eastern North Island, New Zealand. *New Zealand Journal of Geology and Geophysics* 46, 581-590.
- Newnham, R.M., Eden, D.N., Lowe, D.J., Hendy, C.H. 2003. Rerewhakaaitu Tephra, a land-sea marker for the Last Termination in New Zealand, with implications for global change. *Quaternary Science Reviews* 22, 289-308.
- Sparks, R.J., Melhuish, W.H., McKee, J.W.A., Ogden, J., Palmer, J.G. 1995. ¹⁴C calibration in the Southern Hemisphere and the date of the last Taupo eruption: evidence from tree-ring sequences. *Radiocarbon* 37, 155-163.
- Stuiver, M., Reimer, P.J., Bard, E., Beck, J.W., Burr, G.S., Hughen, K.A., Kromer, B., McCormac, G., Van der Plicht, J., Spurk, M. 1998. INTCAL98 radiocarbon age calibration, 24,000-0 cal BP. *Radiocarbon* 40, 1041-1083.
- Wilson, C.J.N. 2001. The 26.5 ka Oruanui eruption, New Zealand: an introduction and overview. *Journal of Volcanology and Geothermal Research* 112, 133-174.

HIGH RESOLUTION RECORDS

Auckland maars

- Hagg, J. and Augustinus, P.C., unpublished data, 2004: Scientific data report from the Onepoto Crater drilling (NZMaar) Project: December 2000/July 2001. *Department of Geography Working Paper No. 18, University of Auckland, 89 pp. ISBN: 1-877320-01-3.*
- Horrocks, M., Augustinus, P.C., Deng, Y., Shane, P., Andersson, S, in press, 2005. Holocene environments recorded in a New Zealand maar crater: Lake Pupuke. *New Zealand Journal of Geology and Geophysics.*
- Pepper, A.C., Shulmeister, J., Nobes, D.C., Augustinus, P.C. 2004. Possible ENSO signals prior to the last Glacial Maximum, during the deglaciation and the early Holocene from New Zealand. *Geophysical Research Letters* 31, L15206.
- Sandiford, A., Alloway, B.V., Shane, P. 2001. A 28,000 - 6,600 cal.yr record of local and distal volcanism preserved in a paleolake, Auckland, New Zealand. *New Zealand Journal of Geology and Geophysics* 44, 323-336.
- Sandiford, A., Newnham, R., Alloway, B.V., Ogden, J. 2003. A high resolution, southern hemisphere mid-latitude LGM to Holocene record of vegetation and climate change from northern New Zealand. *Palaeogeography, Palaeoclimatology, Palaeoecology* 201, 235-247.

Kaipo wetland

- Lowe, D.J., Newnham, R.M., Ward, C.M., 1999. Stratigraphy and chronology of a 15 ka sequence of multisourced silicic tephras in a montane peat bog, eastern North Island, New Zealand. *New Zealand Journal of Geology and Geophysics* 42, 565-579.
- Newnham, R.M., Lowe, D.J. 2000. Fine-resolution pollen record of late-glacial climate reversal from New Zealand. *Geology* 28, 759-762.

Otamangakau wetland

- McGlone, M.S., Topping, W.W. 1983, Late Quaternary vegetation, Tongariro region, central North Island, New Zealand. *New Zealand Journal of Botany* 21, 53-76.
- Turney, C. S. M., McGlone, M. S., Wilmshurst, J. M. 2003. Asynchronous climate change between New Zealand and the North Atlantic during the last deglaciation. *Geology* 31, 223-226.

Marine core MD97-2121

Carter, L., Manighetti, B., Elliot, M., Trustrum, N., Gomez, B. 2002. Source, sea level and circulation effects on the sediment flux to the deep ocean over the past 15 ka off eastern New Zealand. *Global and Planetary Change* 33, 339-355.

Manighetti, B., Carter, L., Gannsen, G., in review. Multiple species $\delta^{18}\text{O}$ record reveals the "Antarctic Cold Reversal" in mid-latitude Southwest Pacific. *Geochemistry, Geophysics, Geosystems*.

Speleothems

Williams, P.W., King, D.N.T., Zhao, J.-X., Collerson, K.D. 2005. Late Pleistocene to Holocene composite speleothem ^{18}O and ^{13}C chronologies from South Island, New Zealand - did a global Younger Dryas really exist? *Earth and Planetary Science Letters* 230, 301-317.

Okarito wetland

Vandergoes, M.J., Newnham, R.M., Hendy, C.H., Lowell, T.V., Preusser, F., Fitzsimons, S.J., Hogg, A.G., Kasper, H.U., Schlüchter, C., in review. Regional insolation forcing of late Quaternary climate change in the Southern Hemisphere". *Nature*

Vandergoes, M.J., Fitzsimons, S.J. 2003. The Last Glacial-Interglacial Transition (LGIT) in south Westland, New Zealand: paleoecological insight into mid-latitude Southern Hemisphere climate change. *Quaternary Science Reviews* 22, 1461-1476.

Antarctic & Greenland ice cores

GISP2 Homepage <http://www.gisp2.sr.unh.edu>

Jouzel, J., Masson, V., Cattani, O., Falourd, S., Stievenard, M., Stenni, B., Longinelli, A., Johnsen, S.J., Steffensen, J.P., Petit, J.R., Schwander, J., Souchez, R., Barkov, N.I. 2001. A new 27 ky high resolution East Antarctic climate record. *Geophysical Research Letters* 28 (16), 3199-3202.

Schwander, J., Jouzel, J., Hammer, C.U., Petit, J.R., Udisti, R., Wolff, E. 2001. A tentative chronology for the EPICA Dome Concordia ice core. *Geophysical Research Letters* 28 (22), 4243-4246.

Special Issue 1997. The Greenland Summit Ice Cores. *Journal of Geophysical Research* 102, 26,315-26,886.

Stenni, B., Masson-Delmotte, V., Johnsen, S., Jouzel, J., Longinelli, A., Monnin, E., Rothlisberger, R., Selmo, E. 2001. An Oceanic Cold Reversal during the last deglaciation. *Science* 293, 2074-2077.

FRAGMENTARY RECORDS

Glacial sequences

- Almond, P.C., Moar, N.T., Lian, O.B. 2001. Reinterpretation of the glacial chronology of South Westland, New Zealand. *New Zealand Journal of Geology and Geophysics* 44, 1-15.
- Basher, L.R., McSaveney, M.J. 1989. An early Aranuian glacial advance at Cropp River, central Westland, New Zealand. *Journal of the Royal Society of New Zealand* 19, 263-268.
- Burrows, C.J. 1979. A chronology for cool-climate episodes in the Southern Hemisphere 12000 - 1000 yr BP. *Palaeogeography, Palaeoclimatology, Palaeoecology* 27, 287-347.
- Burrows, C.J. 1980. Radiocarbon dates for post-Otiran glacial activity in the Mount Cook region, New Zealand. *New Zealand Journal of Geology and Geophysics* 23, 239-248.
- Burrows, C.J. 1989. Aranuian radiocarbon dates from moraines in the Mount Cook region. *New Zealand Journal of Geology and Geophysics* 32, 205-216.
- Burrows, C.J., Russell, J.B. 1975. Moraines of the upper Rakaia Valley. *Journal of the Royal Society of New Zealand* 5, 463-477.
- T.J.H Chinn, NIWA, New Zealand, personal communication, 1999.
- Denton, G.H., Hendy, C.H. 1994. Younger Dryas Age advance of Franz Josef Glacier in the Southern Alps of New Zealand. *Science* 264, 1434-1437.
- Denton, G.H., Heusser, C.J., Lowell, T.V., Moreno, P.I., Andersen, B.G., Heusser, L.E., Schlüchter, C., Marchant, D.R. 1999. Interhemispheric linkage of paleoclimate during the last glaciation. *Geografiska annaler* 81A, 107-153.
- Gellatly, A.F., Rothlisberger, F., Geyh, M.A. 1985. Holocene glacier variations in New Zealand (South Island). *Zeitschrift für Gletscherkunde und Glazialgeologie* 21, 265-273.
- Gellatly, A.F., Chinn, T.J.H., Röthlisberger, F. 1988. Holocene glacier variations in New Zealand: a review. *Quaternary Science Reviews* 7, 227-242.
- Grant-Taylor, T.L., Rafter, T.A. 1962. New Zealand radiocarbon age measurements (5). *New Zealand Journal of Geology and Geophysics* 5, 331-359.
- Hormes, A., Preusser, F., Denton, G., Hajdas, I., Weiss, D., Stocker, T.F., Schlüchter, C. 2003. Radiocarbon and luminescence dating of overbank deposits in outwash sediments of the Last Glacial Maximum in North Westland, New Zealand. *New Zealand Journal of Geology and Geophysics* 46, 95-106.
- Ivy-Ochs, S., Schlüchter, C., Kubik, P.W., Denton, G.H. 1999. Moraine exposure dates imply synchronous Younger Dryas glacier advances in the European Alps and in the Southern Alps of New Zealand. *Geografiska annaler* 81A, 313-324.
- Lowell, T.V., Heusser, C.J., Andersen, B.G., Moreno, P.I., Hausser, A., Heusser, L.E., Schlüchter, C., Marchant, D.R., Denton, G.H. 1995. Interhemispheric correlation of late Pleistocene glacial events. *Science* 269, 1541-1549.
- McGlone, M.S. 1996. Lateglacial landscape and vegetation change and the Younger Dryas climatic oscillation in New Zealand. *Quaternary Science Reviews* 14, 867-881.
- Mercer, J.H. 1988. The age of the Waiho Loop terminal moraine, Franz Josef Glacier, Westland. *New Zealand Journal of Geology and Geophysics* 31, 95-99.
- Moar, N.T. 1980. Late Otiran and early Aranuian grassland in central South Island. *New Zealand Journal of Ecology* 3, 4-14.
- Porter, S.C. 2000. Onset of Neoglaciation in the Southern Hemisphere. *Journal of Quaternary Science* 15, 95-408.
- Suggate, R.P. 1965. Late Pleistocene geology of the northern part of the South Island, New Zealand. *New Zealand Geological Survey Bulletin* 77.

- Suggate, R.P. 1968. The Paringa Formation, Westland, New Zealand. *New Zealand Journal of Geology and Geophysics* 11, 345-355.
- Suggate, R.P. 1988. Quaternary deposition and deformation in the Buller and tributary valleys. *New Zealand Geological Survey Record* 25, 51 p.
- Suggate, R.P. 1990: Late Pliocene and Quaternary glaciations of New Zealand. *Quaternary Science Reviews* 9, 175-197.
- Suggate, R.P. and Almond, P.C. *In press*. The Last Glacial Maximum (LGM) in western South Island, New Zealand: implications for the global LGM and MIS2. *Quaternary Science Reviews*.
- Suggate, R.P., Moar, N.T. 1970. Revision of the chronology of the Late Otira Glacial. *New Zealand Journal of Geology and Geophysics* 13, 742-746.
- Vandergoes, M.J., Fitzsimons, S.J. 2003. The Last Glacial-Interglacial Transition (LGIT) in south Westland, New Zealand: paleoecological insight into mid-latitude Southern Hemisphere climate change. *Quaternary Science Reviews* 22, 1461-1476.
- Wardle, P. 1973. Variations of the glaciers of Westland National Park and the Hooker Range, New Zealand. *New Zealand Journal of Botany* 11, 349-388.
- Wardle, P. 1978. Further radiocarbon dates from Westland National Park and the Omoeroa River mouth. *New Zealand Journal of Botany* 16, 147-152.

Fluvial aggradation or degradation

- Berryman, K., Marden, M., Palmer, A., Wilson, K., Mazengarb, C., Litchfield, N., submitted. The post-glacial downcutting history in the Waihuka tributary of Waipaoa River, Gisborne district, New Zealand, and implications for tectonics and landscape evolution. *GSA Bulletin*.
- Bull, W.B., 1991. Geomorphic responses to climate change. Oxford University Press, New York.
- Knuepfer, P.L.K. 1988. Estimating ages of late Quaternary stream terraces from analysis of weathering rinds and soils. *Geological Society of America Bulletin* 100, 1224-1236.
- Litchfield, N.J., Berryman, K.R., in press. Correlation of fluvial terraces within the Hikurangi Margin, New Zealand: Implications for climate and base level controls. *Geomorphology*.
- Litchfield, N.J., Rieser, U., submitted. OSL age constraints for fluvial aggradation terraces and loess in the eastern North Island, New Zealand. *New Zealand Journal of Geology and Geophysics*.

Loess accumulation

- Almond, P.C., Moar, N.T., Lian, O.B. 2001. Reinterpretation of the glacial chronology of South Westland, New Zealand. *New Zealand Journal of Geology and Geophysics* 44, 1-15.
- Berger, G.W., Tonkin, P.J., Pillans, B.J. 1996. Thermoluminescence ages of post-glacial loess, Rakaia River, South Island, New Zealand. *Quaternary International* 34-36, 177-181.
- Berger, G.W., Pillans, B.J., Tonkin, P.J. 2001. Luminescence chronology of loess-paleosol sequences from Canterbury, South Island, New Zealand. *New Zealand Journal of Geology and Geophysics* 44, 501-516.
- Formento-Trigilio, M.L., Burbank, D.W., Nicol, A., Shulmeister, J., Rieser, U. 2003. River response to an active fold-and-thrust belt in a convergent margin setting, North Island, New Zealand. *Geomorphology* 49, 125-152.

- Goh, K.M., Tonkin, P.J., Rafter, T.A. 1978. Implications of improved radiocarbon dates of Timaru peats on Quaternary loess stratigraphy. *New Zealand Journal of Geology and Geophysics* 21, 463-466.
- Grapes, R.H., Wellman, H.W. 1993. Field guide to the Wharekauhau Thrust (Palliser Bay) and Wairarapa Fault (Pigeon Bush). Geological Society of New Zealand Annual Conference, Wellington. *Geological Society of New Zealand Miscellaneous Publication* 79B, 27-44.
- Litchfield, N.J., Rieser, U., submitted. OSL age constraints for fluvial aggradation terraces and loess in the eastern North Island, New Zealand. *New Zealand Journal of Geology and Geophysics*.

Aeolian quartz

- Alloway, B.V., Stewart, R.B., Neall, V.E., Vucetich, C.G. 1992. Climate of the last glaciation in New Zealand, based on aerosolic quartz influx in an andesitic terrain. *Quaternary Research* 38, 170 -179.